

REMARKS

Claims 1-32 are pending in the present application.

Claims 1-32 stand rejected under 35 U.S.C. §103(a) as being anticipated by Liencres et al. (U.S. Patent No. 5,434,993) (hereinafter “Liencres”) in view of Chandrasekaran et al. (U.S. Patent No. 6,970,872) (hereinafter “Chandrasekaran”). Applicant respectfully traverses this rejection.

Applicant’s claim 1, as amended, recites a system comprising

- a node including an active device, a system memory, and an interface interconnected by an address network and a data network that is separate from the address network;
- an additional node coupled to send a coherency message to the interface in the node via an inter-node network, wherein the coherency message requests an access right to a coherency unit;
- wherein in response to the coherency message, the interface is configured to send a first type of address packet on the address network if a global access state of the coherency unit in the node is a modified state and to send a second type of address packet on the address network if the global access state is not the modified state;
- wherein in response to the second type of packet, the system memory is configured to send a data packet corresponding to the coherency unit on the data network, regardless of whether the memory has an ownership responsibility for the coherency unit. (Emphasis added)

In response to the Examiner’s response to arguments on page 2 of the instant Office action, Applicant submits the type of memory matters because of the topology of the system and the way in which a system memory is connected to the nodes, in contrast to how a cache memory is connected. More particularly, Applicant was pointing out to the Examiner as shown in FIG. 3a, Liencres clearly shows that the memory alluded to by

the Examiner is a cache memory 37, which is not coupled to the bus 33 but to the cache controller 35. Applicant understands the Examiner is allowed to interpret claims as broadly as is reasonably possible. However, Applicant believes the Examiner has overstepped reasonableness when comparing the topology of Liencres, and the system recited in Applicant's claim language.

The above notwithstanding, The Examiner acknowledges Liencres does not teach "wherein in response to the coherency message, the interface is configured to send a first type of address packet on the address network if a global access state of the coherency unit in the node is a modified state and to send a second type of address packet on the address network if the global access state is not the modified state;" and "wherein in response to the second type of packet, the system memory is configured to send a data packet corresponding to the coherency unit on the data network, regardless of whether the system memory has an ownership responsibility for the coherency unit," as recited in Applicant's claims 1, 13, and 24. However, the Examiner asserts Chandrasekaran teaches the limitations at figure 1 and at col. 2, lines 54-57, col. 2, lines 60-62, and at col. 6, lines 25-36. Applicant respectfully disagrees.

More particularly, the Examiner asserts "Chandrasekaran teaches a multi-node network (figure 1) that employs several techniques to reduce latency. One of the methods is called "optimistic read" (col. 2, lines 54-57) where the system sends the read data regardless of whether or not the data is valid (i.e., modified) (col. 2, lines 60-62). If a request is made its validity is determined. A message is sent granting or denying access to the resource based on its validity. One of the methods of determining validity is "write-time" validity checking (col. 6, lines 25-36). When another node writes out data, it sends out a report stating the latest write time for that data. The read data is invalid once its timestamp comes before the latest write time. The node, now having an invalid read data, will have to request the updated data from the additional node. It would have been obvious... to employ optimistic reading of data using write time validity checking so that reads could be employed when another node has exclusive access but hasn't yet written

the data.” Applicant respectfully disagrees with the Examiner’s application of the Chandrasekaran art to Applicant’s claims.

More particularly, Chandrasekaran is directed to optimistic reads and write time validity checking. Taking Chandrasekaran in context, Chandrasekaran actually discloses

“This technique of starting the retrieval of the resource before receiving a response, such as a lock, to a request for permission to access the resource is referred to herein as an "optimistic read." The techniques described herein not only perform an optimistic read but also determine whether the results of the optimistic read are valid, in the sense of providing the correct version of the resource retrieved. If the optimistic read is not valid, then the resource retrieved from the optimistic read is not used. In one embodiment of this aspect, if the version retrieved by the optimistic read is not valid, then another operation is initiated to retrieve the resource, but only after permission is received to access the resource. When the optimistic read results are valid sufficiently often, latency is reduced in retrieving resources.” (See col. 2 lines 54-67) (Emphasis added)

“In an embodiment using the first type of validity checking, the time that the optimistic read is started is compared to the latest time that the data block was written by any of the other nodes. If the read was started after the last write, the read is valid. **This can be determined even before the read is finished,** but involves the writing node publishing its write time to the other nodes. A node can publish its write time in any way, such as by broadcasting the write time to the other nodes, by storing the write time and responding to requests from other nodes, or by sending the write time to a lock manager. This type of validity checking is called "write-time" validity checking herein.” (See col. 6, lines 25-36) (Emphasis added)

From the foregoing, Applicant submits Chandrasekaran is disclosing an optimistic read operation in which the data is retrieved and then checked for validity. Applicant further submits, the read data is apparantly sent without regard to validity, and not whether the memory has ownership responsibility. This passage nor any other discloses “the system memory is configured to send a data packet corresponding to the coherency unit on the data network, **regardless of whether the system memory has an ownership responsibility** for the coherency unit,” as recited in claim 1.

Furthermore, there is no teaching of the interface sending one kind of packet if the coherency unit in the node is in a modified state and a second type of packet if it is not in

a modified state. The memory then responds to the second type as described above. But it is “regardless of whether the **memory has an ownership responsibility** for the coherency unit” and not whether or not the data is valid. These are distinctly different.

Thus, Applicant submits neither Liencres nor Chandrasekaran, taken either singly or in combination, teaches or suggests the combination of features recited in Applicant’s claim 1.

Accordingly, Applicant submits claim 1, along with its dependent claims patentably distinguishes over Liencres in view of Chandrasekaran for the reasons given above.

Applicant’s claims 13 and 24 recite features that are similar to the features recited in claim 1. Thus Applicant submits claims 13 and 24, along with their respective dependent claims, patentably distinguish over Liencres in view of Chandrasekaran for at least the reasons given above.

CONCLUSION

Applicants submit the application is in condition for allowance, and an early notice to that effect is requested.

If any fees are due, the Commissioner is authorized to charge said fees to Meyertons, Hood, Kivlin, Kowert, & Goetzel, P.C. Deposit Account No. 501505/5181-94901/SJC.

Respectfully submitted,

/ Stephen J. Curran /

Stephen J. Curran

Reg. No. 50,664

AGENT FOR APPLICANT(S)

Meyertons, Hood, Kivlin, Kowert, & Goetzel, P.C.

P.O. Box 398

Austin, TX 78767-0398

Phone: (512) 853-8800

Date: February 26, 2008